

Revolution R Enterprise 5.0 for Red Hat README

Revolution R Enterprise 5.0 for 64-bit Red Hat Enterprise Linux 5.x features an updated release of the RevoScaleR package that provides scalable data management and data analysis: the same code scales from data frames to local, high-performance .xdf files. It also provides open source R 2.13.2. Also available as a separate product is RevoDeployR 2.0, designed to help you deliver R analytics via your corporate intranet or in the cloud.

To get started using RevoScaleR with huge (or small) data sets, we recommend that you review the *RevoScaleR Getting Started Guide* (found in the directory returned by `Revo.home("doc")`). It provides a tutorial introduction to using the RevoScaleR functionality. The *RevoScaleR User's Guide* is also available in .pdf format, and help files give detailed descriptions of the individual functions.

Installation instructions are provided in your confirmation e-mail.

What's New in Revolution R Enterprise 5.0

RevoScaleR

Scalable data management

- Data import:
 - New versatile *rxImport* function for using external data with R (delimited and fixed-format text, SAS, SPSS, or ODBC). Bring smaller data sets directly into an R data frame; store larger data sets in the native .xdf file format, very efficient for storing and accessing large data sets. The *rxImport* function returns a data frame or an *RxXdfData* object representing the created .xdf file. Either can be used in subsequent data analysis functions.
 - Two alternative modes of Delimited Text import, and two alternative modes of ODBC import – one supported on Linux
 - Ability to keep or drop variables on import
 - Ability to specify start row and number of rows of data to import
- Data Cleaning and Manipulation
 - New versatile *rxDataStep* function allows you to perform data transformations on big data using the power and flexibility of the R language. Experiment with a small data frame, then apply the same code to a huge data set.
 - Returns data frame or *RxXdfData* object representing an .xdf file that can be used in subsequent scalable analyses.
 - Works with data frames or .xdf files (as input data or output), making it easy to convert from one type to another.
 - Ability to “re-block” xdf files with a user-specified number of rows.
 - Improved evaluation environments for user-defined transforms and transform functions, and new internal variable, *.rxNumRows* (containing the number of rows in the current block) for use within transformations.

- Big data merge with the new *rxMerge* function. Merge two large data files, or merge a smaller in-memory data set into a large data file.
- Improved performance for big data sort. New general *rxSort* function to work on data frames or .xdf file
- Ability to create and recode factors in .xdf files and data frames using new *rxFactors* function
- Split an .xdf file into multiple files by number of rows, blocks, or levels of a factor variable using new *rxSplitXdf* function.
- Support for additional data types in .xdf files: ordered factors and POSIXct, and improved support for Date data type.
- New functions *rxGetVarInfo*, *rxGetInfo*, and *rxSetVarInfo* work for both data frames and .xdf files
- New examples in the *RevoScaleR User's Guide* for big data data step and import.

Expanded scalable statistical functionality

- New functions utilizing output from *rxCrossTabs* objects:
 - *rxChiSquaredTest*: Chi-squared Test
 - *rxFisherTest*: Fisher's Exact Test
 - *rxKendallCor*: Kendall's Tau Rank Correlation Coefficient
 - *rxPairwiseCrossTab*: Apply a function 'FUN' to all pairwise combinations of the rows and columns of an xtabs object, stratifying by higher dimensions
 - *rxRiskRatio*: Calculate the relative risk ratio on a two-by-two table
 - *rxOddsRatio*: Calculate the relative odds ratio on a two-by-two table
 - *rxMultiTest*: Collects a list of tests for variable independence into a table.
- Also a new *rxResultsDF* method for *rxCrossTabs*, *rxSummary*, and *rxLinMod* for extracting a data frame from results objects
- Improved performance for scalable analysis functions operating on data frames.
- Option in *rxPredict* and *rxKmeans* to write out model variables in addition to predictions/cluster number.
- Option in *rxSummary* to remove missing values by term.
- Option in *rxLinMod* and *rxLogit* to drop first or last factor levels, and ability to set starting parameter values in *rxLogit*.
- *rxHistogram* now supports logical data and frequency weights with continuous data, and has *transforms* and related arguments.
- Prediction standard errors and confidence intervals can now be calculated using *rxPredict* with models fit using *rxLinMod* and *rxLogit*.
- New examples in the *RevoScaleR User's Guide* for factor analysis and principal components analysis.

Update to Open Source R 2.13.2

R/Hadoop Packages Available for Download

- Three packages that help you use R with Hadoop are available for download from <https://github.com/RevolutionAnalytics/RHadoop/wiki/>

Known Issues

- [*Known Issues in Revolution R Enterprise 5.0*](#)